







BERMAQ

# CNC MACHINING CENTER

## QUICK

- FULL EQUIPPED
- REDUCED FLOOR SPACE
- HEAVY DUTY
- EASY AND FAST PROGRAMMING
- POWERFUL ROUTER MOTORS



• WORKING AREA:	X : 2.500 (3.100) MM Y : 955 (1.050) MM Z : 170 MM
• POSITIONING SPEED:	X : 75 M/MIN Y : 60 M/MIN Z : 20 M/MIN
• MOTOR POWER (AT 12.000 MIN-1):	8 kW (10,6 PS)
• COUPLING:	ISO-30
• MOTOR POWER DRILLING UNIT:	1,7 kW (2,3 PS)
• MOTOR SPEED ROTATION:	4.000 MIN-1
• 10 VERTICAL DRILL BITS (INDIVIDUAL DESCENT)	
• 3 HORIZONTAL DRILL BITS WITH DOUBLE EXIT	
• GROOVING SAW IN X	
• DIAMETER SAW BLADE:	120 MM
• 5 (6) ALUMINIUM SUPPORTS SLIDABLE IN X WITH 2 SQUARED VACUUM CUPS EACH	
• VACUUM PUMP:	40 M3/MIN
• AUTOMATIC TOOL CHANGE (OPTIONAL)	
• PROGRAMMING UNDER	TWINCAM 32
• WEIGHT:	2.400 KG (2600 KG)

