

FORMA

Foratrice semiautomatica con 2 teste verticali ed una orizzontale.
Semiautomatic boring machine with two vertical heads and one horizontal head.
Halbautomatische Bohrmaschine mit 2 vertikalen K pfen und einem horizontalen Kopf.
Perceuse semi-automatique avec deux têtes verticales et une horizontale.
Taladro semiautomático con 2 cabezales verticales y uno horizontal.
Furadora semi-automática com 2 cabeças as verticais e uma horizontal.

Vitap

woodworkmachines


VITAP

Costruzioni Meccaniche s.r.l.
53036 POGGIBONSI (Siena) Italy
Via Pisana, 149
Tel. (+39) 0577 987511
Fax (+39) 0577 981670



Web: www.vitap.it
E-mail: vitap@vitap.it





FORMA



TECHNICAL





Interasse mandrini Centre distance between spindles Spindelabstand Entre-axe entre chaque broche Interejes mandriles Distancia entre brocas	Spessore massimo pannelli Max. thickness of panels Max. Zwischenlageholzplatte Max. épaisseur des panneaux Altura maxima paneles Dimensao max de peça a furar	Profondità massima di foratura Max. boring depth Grösste Bohrköpfen Max. profondeur de perçage Profundidad maxima del taladrado Profundidad e max de furação	Potenza totale motori Total motor power Motor Bohrköpfen (3) Puissance totale des moteurs Potencia total de los motores Potencia do motor	Velocità rotazione mandrini Speed of spindles Spindeldrehzal Vitesse de rotation des broches Velocidad de revoluciones de los mandriles Velocidade de rotação	Peso Net weight Gewicht Poids Peso Peso
32mm .	80mm .	70mm .	Hp. 4,5	2800 rpm	750 kg .
Dimensioni d'ingombro Overall dimensions Gesamtabmessungen Dimension totales Medidas exteriores Dimensoes	Gruppo orizzontale mandrini Horizontal boring group spindles Horizontal Bohrkoff Spindeln Groupes horizontales mandrins Grupo horizontal mandrins Grupo horizontal mandrini	Gruppi verticali mandrini Vertical boring group spindles Vertikal Bohrkoff Spindeln Groupes horizontales mandrins Grupos verticales mandrins Grupos verticoes mandrini	Distanza max. tra le teste Max. distance between the heads Max. arbeits breite zwischen den vertikal kopfen Largeur max. entre les testes verticales Distancia maxima entre los cabezales Distancia max entre os cabeçotes	Distanza min. tra le teste Min.distance between the heads Min arbeits breite zwischen den vertikal kopfen Largeur min. entre les testes verticales Distancia minima entre los cabezales Distanci min. entre os cabeçotes	
1900X1200X1300	21	(21+21)	850mm .	150mm .	