



Vitap

woodworkingmachines



SUPERFAST

Foratrice semiautomatica rapida di alta precisione per mobili su misura.


Semiautomatic high precision boring machine with quick set up time for custom cabinets.

Halbautomatisch hochpraezision bohrmaschine mit schnellwechsel posizionsysteme fur sondermoebeln.

Perceuse semi-automatique de haute pr cision avec syst me rapide de mise point pour meubles sur mesure.

Taladro de alta precision con sistema de cambio rapido de medidas de los muebles hechos a medida.

Furadeira de alta precicao com sistema cambio rapido de medida dos moveis feitos por medida.



Battute frontali con indicatore digitale.

Front stops with digital readout.

Frontanschlag mit digital anzeiger.

But e frontale avec indicateur digitale.

Topes frontales con indicador digital.

Topos frontais com leitor digital.



Battute frontali con indicatore digitale.

Front stops with digital readout.

Frontanschlag mit digital anzeiger.

But e frontale avec indicateur digitale.

Topes frontales con indicador digital.

Topos frontais com leitor digital.



Battute frontali con indicatore digitale (verticale).

Front stops with digital readout (vertical).

Frontanschlag mit digital anzeiger (vertikal).

But e frontale avec indicateur digitale (vertical).

Topes frontales con indicador digital (vertical).

Topos frontais com leitor digital (vertical).



Pressori inclinati di 15°.

15 degrees inclined clamps.

15 graden klammzylinern.

Verins inclin s de 15°.

Prensores inclinados a 15 grados.

Pistoes de prensagem em 15 grau.



Foratura in verticale e pressore inclinato di 15°.

Vertical boring and 15 degrees inclined clamp.

Vertikal bohrung mit 15 graden klammzyylinder.

Percage vertical avec verin inclin s de 15 degrees.

Taladros en posicion vertical y prensores a 15 grados.

Perfura oes em posi ao vertical e pistoes de prensagem em 15 graus.



Asta in alluminio per forature intermedie.

Alufence for intermediate boring.

Aluschiene fur mittel bohrungen.

R gle profil e aluminium pour perçage interm diaire.

Guia de aluminio para taladros entre medios (divisorios, entrepano).

Paralela em aluminio para perfura oes entre o meio.




Asta in alluminio per forature intermedie.
Alufence for intermediate boring.
Aluschiene fur mittel bohrungen.
R gle profil e aluminium pour perçage interm diaire.
Guia de aluminio para taladros entre medios (divisorios, entrepanos).
Paralela em alumínio para perfura oes entre o medio.



Asta in alluminio per forature intermedie.
Alufence for intermediate boring.
Aluschiene fur mittel bohrungen.
R gle profil e aluminium pour perçage interm diaire.
Guia de aluminio para taladros entre medios (divisorios, entrepanos).
Paralela em alumínio para perfura oes entre o medio.



Asta in alluminio per forature intermedie.
Alufence for intermediate boring.
Aluschiene fur mittel bohrungen.
R gle profil e aluminium pour perçage interm diaire.
Guia de aluminio para taladros entre medios (divisorios, entrepano).
Paralela em alumínio para perfura oes entre o medio.



Asta in alluminio per forature intermedie.
Alufence for intermediate boring.
Aluschiene fur mittel bohrungen.
R gle profil e aluminium pour perçage interm diaire.
Guia de aluminio para taladros entre medios (divisorios, entrepano).
Paralela em alumínio para perfura oes entre o medio.



Barra per linee di fori parallele.
Alufence for line boring.
Aluschiene fur reienbohren.
R gle profil e aluminium pour cr maille re.
Guia de aluminio para taladros para cremalleras.
Paralela em alumínio para perfura oes laterales.




Barra per linee di fori parallele.
Alufence for line boring.
Aluschiene fur reienbohren.
R gle profil e aluminium pour cr maille re.
Guia en aluminio para taladros para cremalleras.
Paralela em alumínio para perfura oes laterales.



Squadra laterale abbattibile.
Tilting side fence.
Rotieren seite anschlag.
But e laterale escamotable.
Tope lateral abatible.
Topo lateral inclinable.



Battuta per quadri a 90 gradi.
Fence for 90 degrees frames.
Anschlag fur 90 graden vierecke.
But e pour cadres 90 degr es.
Tope para cuadros de 90 grados.
Dispositivo para furar a 90 graus.



Battuta per quadri a 45 gradi.
Fence for 45 degrees frames.
Anschlag fur 45 graden vierecke.
But e pour cadres a 45 degr es.
Tope para cuadros de 45 grados.
Dispositivo para furar a 45 graus.



Mandrini Spindles Spindeln Mandrins Mandrilas Mandris	Interasse tra ogni mandrino Centerdistance between each spindle. Mittenabstand zwischen den einzelnen Spindeln Entre-axe entre chaque mandrin Interreje entre cada mandril Distancia entre cada mandril	21	32 mm.	Interasse totale tra il primo e l'ultimo mandrino Total centerdistance between first and last spindle. Gesamter Mittenabstand zwischen der ersten und letzten Spindel Entre-axe total entre le premier et le dernier mandrin Distancia total entre el primero y el ultimo mandril Distancia total entre o primeiro e o ultimo mandril	640	70	Profondità max di foratura Maximum depth of hole Max. Bohrtiefe Profondeur max. de perçage Profundidad max. de perforacion Profundida de max de furação	Dimensione tavolo Board dimensions Ausmaße des Tisches Dimension table Medidas mesa de trabajo Dimensão banco
Dimensione max. del pezzo da forare Maximum dimensions of pieces to be drilled Größtes Ausmaß des zu bohrenden Teile Dimension max. de la pièce à percer Medidas máx. de la pieza para taladrar Dimensão max da peça para furar	Giri mandrino al minuto Spindle rotations per minute Spindelumdrehungen pro Minute Tours du mandrin à la minute Revvoluciones de mandril por minuto Giros mandril por minuto	800x3000	2800	Potenza motore Engine capacity Motorleistung Puissance moteur Potencia motor Potênci motor	Hp 2,5	atm.6-8	Peso Weight Betriebsdruck Pression d'exercice Presión de ejercicio Pressão de exercício	Misure di Ingombro Overall size Außenmaße Mesures d'encombrement Medidas exteriores Medidas totais
800x3000	2800	Hp 2,5	atm.6-8	kg.264	950x850x1140			

VITAP srl

53036 POGGIBONSI (Siena) Italy - Via Pisana, 149 - Tel. (+39) 0577 987511 - Fax (+39) 0577 981670
www.vitap.it E-mail: vitap@vitap.it

Vitap