



WEGOMA – Transport Wagons

Logistic
in the Factory.



WEGOMA – Fixed Length Wagon FW 2200 + FW 2300


- Practical for sorting, storage and transport of cut to size re-inforcement profiles.
- Space saving through vertical positioning of the profiles.
- Six compartments.
- Four directional wheels.

WEGOMA Vertical Profile Wagon PWV 2800 + PWV 2900

- For transport and space saving temporary-buffer storage from cut to size profiles.
- Stable construction, heavy load carrying.
- Compartment dividers, adjustable height and plastic coated.
- Galvanized base frame.
- Four directional wheels, two locking.
- Two designs: 9 or 19 compartments.

WEGOMA– Horizontal Profile Wagon PWH 1100 + PWH 1202

- For bar material and cut to size profiles.
- Large capacity.
- Each support 4 double sided support arms, sloped to the back side.
- Support arms for optimal divisions, adjustable height, plastic coated.
- Middle support lateral adjustable for short cut lengths.
- Four directional wheels, two locking.



△ ◁ Vertical Profile Wagon
PWV 2900

△ △ Fixed Length Wagon
FW 2200




◁ Horizontal Profile Wagon
PWH 1202




WEGOMA – Carousel Profile Wagon KPW 2512 + KPW 2524

- Ideal transport mode for cut to size profiles. Materials always at hand.
- Two designs with one or with two carousels.
- Each carousel has ten rotatable compartments.
- Each compartment can accept four cut to size profiles.
- Safety latches on all compartments to secure profile bars.
- Compartment arm with adjustable height. Galvanized surface rests.
- Two directional wheels, two fixed wheels ø 200 mm, rubber tired.



△ Carousel Profile Wagon KPW 2512



△ Carousel Profile Wagon KPW 2524

Technical Data

Fixed Length Wagon	FW 2200	FW 2300
Length	800 mm	800 mm
Width	600 mm	600 mm
Height	750 mm	1050 mm
Carry Load	300 kg	300 kg
Weight	30 kg	32 kg



Horizontal Profile Wagon	PWH 1100	PWH 1202
Length	1650 mm	2050 mm
Width	850 mm	850 mm
Height	1900 mm	1900 mm
Double surface	12 pcs.	16 pcs.
Weight	60 kg	70 kg

Vertical Profile Wagon	PWV 2800	PWV 2900
Length	1000 mm	2000 mm
Width	900 mm	900 mm
Height	1730 mm	1730 mm
Carry Load	400 kg	800 kg
Weight	52 kg	78 kg

Carousel Profile Wagon	KPW 2512	KPW 2524
Length	1150 mm	2300 mm
Width	1100 mm	1100 mm
Height	1950 mm	1950 mm
Weight	130 kg	240 kg


WEGOMA – Gasket Wagon HW 1600 + HW 1640

- Absolutely essential by gasket insertion.
- Suitable for different gasket reels, from 150 mm to 560 mm diameter.
- Two designs: For two or four reels.
- Practical tool deposit.
- Four directional rolls, two locking.



▷ Gasket Wagon HW 1640

△ Gasket Wagon HW 1600



Technical Data

Gasket Wagon	HW 1600	HW 1640
Length	800 mm	800 mm
Width	800 mm	800 mm
Height	1100 mm	1800 mm
Weight	30 kg	40 kg

Fitting Wagon	BW 1000
Length	1100 mm
Width	700 mm
Height	1200 mm
Weight	60 kg

Fitting Shear	BS 1001
Length	400 mm
Width	100 mm
Height	620 mm
Air pressure connection	6–8 bar
Weight	18 kg

Small Parts Wagon	KW 800	KWA 900
Length	600 mm	1000 mm
Width	600 mm	900 mm
Height without wheels	1200 mm	1100 mm
Weight	18 kg	35 kg

WEGOMA – Fitting Wagon BW 1000

- For the supply of fittings.
- Clearly arranged and easily accessible positioning of each fitting length.
- Seven fitting storage compartments positioned in stepped arrangement.
- Two deposits for accessories and tools, adjustable heights.
- Solid drive base.
- Four directional wheels, two locking.



◁ Fitting Wagon BW 1000



WEGOMA – Fitting Shear BS 1001 pneumatic

- For the fitting station or the fitting wagon.
- Precise sizing of each Euro-Fitting.
- Pneumatic function over hand or foot switch.
- Upon request: Length stop left or right side for series fabrication. Support with four directional wheels, two locking. Mounting for fitting wagon.




△ Pneumatic Fitting Shear BS 1001
with Support

▷ Fitting Shear BS 1001 mounted
on Fitting Wagon BW 1000



△ Small Parts Wagon KWA 900
with Tool Support and Drawer



▷ Small Parts Wagon KW 800

WEGOMA – Small Parts Wagon KW 800

- Clear storage of small parts in all forms and variations.
- Five rotatable shell plates.
- Each shell plate has ten compartments.
- Stabil construction.
- Four directional wheels.

WEGOMA – Small Parts Wagon KWA 900 with Tool Support

- Small parts are easily accessible and sorted.
- Four rotatable shell plates, each with ten compartments.
- Support surface for tools.
- Shell plate and support are adjustable in height.
- Four directional wheels, two locking.
- Upon request: Two drawers.

▷ Frame Compart-
ment Wagon
RF 3100



WEGOMA – Frame Compart- ment Wagon RF 3100

- Inbetween storage and for internal factory transport of welded frames and casements.
- Workpieces are individually positioned for direct access.
- Ten compartments. Compartment partitions coated in plastic.
- Four directional wheels. Easy to handle.



WEGOMA – Commission Wagon KW 1550

- For window transport in the factory and to the building site.
- All support and unit surfaces with coated rubber strip.
- Surfaces slanted to the back.
- Middle supports adjustable.
- Four directional wheels \varnothing 100 mm.

Technical Data

Frame Compartment Wagon	RF 3100
Length	1060 mm
Width	1100 mm
Height	1340 mm
Weight	50 kg

Commission Wagon	KW 1550
Length	1600 mm
Width	950 mm
Height without wheels	1815 mm
Loading width/Loading height	720/1600 mm
Weight	60 kg

Commission Wagon	KW 1500	KW 2000
Length	1900 mm	1900 mm
Width	1050 mm	1050 mm
Height without wheels	1500 mm	2000 mm
Load width	760 mm	760 mm
Weight	90 kg	105 kg

Glass Compartment Wagon	GF 3200
Length	1330 mm
Width	1000 mm
Height	1400 mm
Weight	60 kg


Glass Wagon	GW 1700	GW 1800
Length	1500 mm	1800 mm
Width	800 mm	1100 mm
Height	1500 mm	1800 mm
Support width	2x200 mm	2x350 mm
Carry load	1000 kg	1000 kg
Weight	80 kg	110 kg

▷ Commission
Wagon KW 1550



WEGOMA – Commission Wagon KW 1500 + KW 2000

- Robust, rigid construction.
- Rational and safe window transport.
- Four eyes for crane and fork lift usage.
- Two directional and two fixed wheels.
- Rubber surfaces for protection of edges and corners.
- Slanted support to the back.



◁ Commission Wagon 1500

WEGOMA – Glass Compartment Wagon GF 3200

- Commissioned panes individually assorted.
- Fully protected and easy to hand.
- 24 compartments. Compartment divisions coated in plastic and adjustable in height to requirement.
- Four directional wheels.



◁ Glass Compartment Wagon GF 3200

WEGOMA – Glass Wagon GW 1700 + GW 1800

- Safe glass transport in the factory, to the building site and other places.
- Rubber protect surfaces and corners.
- Surfaces slanted to the back.
- Robust, sturdy construction.
- Two directional wheels, two fixed wheels \varnothing 200 mm.



◁ Glass Wagon GW 1700

WEGOMA®

WEGOMA® GmbH

Technik für den Fensterbau
Höhenstrasse 7
D-75239 Eisingen
Tel. 07232-3840-0
Fax. 07232-3840-29

Tfax. 0 20 41/18 99-16

Great Britain

WEGOMA UK Limited
Newgate House, Brunel Close
Drayton Fields Ind. Estate
Daventry, Northants NN11 5RB
Tel. 013 27-30 19 90
Tfax. 013 27-30 16 61

France

WEGOMA S.A.R.L.
Zone Industrielle B.P.46
F-67590 Schweighouse s/Moder
Tel. 88.72.79.90 · Tx. 870.216
Tfax. 8872.7531

Benelux

WEGOMA BENELUX B.V.
Edyweg 6
NL-6956 BB Spankeren/Dieren
Tel. 03 13/42 20 83
Tfax. 03 13/42 27 33

Skandinavien

WEGOMA SKANDINAVIEN A/S
Rundinsvej 50, Box 220
DK-3200 Helsingør
Tel. 45-48 79 46 11
Tfax. 45-48 79 50 92

Italia

WEGOMA S.R.L.
Via del Pino No. 7
I-47038 Santarcangelo di Romagna/Fo.
Tel. (05 41) 62 09 44 · Tfax. (05 41) 62 09 56

España

WEGOMA S.A.
Puig i Xuriger, 44-46
E-08004 Barcelona
Tel. 3-4 41 42 09 · Tfax. 3-4 41 46 00

USA

WEGOMA INC.
2368 East Enterprise Parkway
Twinsburg/Ohio 44087
Tel. 216/425-32 81 · Tx. 6 711 031
Tfax. 216/425-83 98

Canada

WEGOMA INC.
55 Administration Rd.
Concord/Ontario L4K 4G9
Tel. 416/660-4660 · Tfax 416/660-4670

Türkiye

WEGOMA MAK. TİC. LTD. ŞTİ
Kayışdağı Cad. Yazıcı Sok. No: 7
TR-İnönü Mahallesi / Kadıköy-İstanbul
Tel. 0216-3 84 15 16 · Tfax. 0216-3 73 95 14

Hellas

WEGOMA HELLAS EPE
Grigorin E'42
GR-54249 Thessaloniki
Tel. 0 31-32 72 40 · Tfax 0 31-32 72 42

Rationalization in Window Construction



Technical changes reserved.
Colour RAL 6011, green hammer tone finish.
Special colours on request.