

Cutting edge for increasing volumes.

HE HOMAG

Our panel dividing saws
SAWTEQ B-200

YOUR SOLUTION





SAWTEQ B-200 – and your cutting operations are as versatile as your craft

The SAWTEQ B-200 offers everything you need in a woodworking shop to cut panels horizontally: power, precision and above all flexibility. This begins with the technology: the SAWTEQ B-200 offers you a choice of two standard models and a wide range of technology options, allowing you to customize your machine to meet your specific requirements. You remain flexible and have a saw that can grow with your needs.

YOUR SOLUTION

MORE AT HOMAG.COM



SAWTEQ B-200


CONTENTS

- 04 Software
- 12 SAWTEQ B-200
- 14 SAWTEQ B-200 with lifting table
- 16 Standard features
- 22 Optional features
- 37 Technical data
- 38 Service



CADmatic 5 – intuitive to operate and open for digital networking

CADmatic 5 is the state-of-the-art, high-performance saw control system from HOMAG. A wide range of functions and easy to handle. This is ensured thanks to the intuitive operating concept and clear administrative functions. What's more, CADmatic 5 is open for communication with other machines and software solutions.



CADmatic 5 – the change in perspective

The latest generation of the HOMAG saw control system has a new assistance graphic that clearly shows the machine operator all the steps in order. Compared to the previous process graphic that showed all the work steps of the saw 1:1 (and can still be called up if required), this new graphic represents a 180-degree change in perspective!

Highlights:

- The 3D assistance graphic supports the operator directly at the saw and is intuitive to operate, which shortens the training period and reduces errors to a minimum
- This results in efficient processes and a steady output
- 24"full-HD multi-touch display in widescreen format is easy to use by swiping, scrolling and zooming
- Uniform operating concept thanks to the powerTouch user interface (see powerTouch page 6)
- All HOMAG saws with CADmatic 5 are automatically tapio-ready

Find out more in the "CADmatic" brochure.

What's the difference? The software!


It efficiently integrates the machine into the production process. This results in seamless, intelligently networked processes from start to finish. In short: the right software unlocks new value-added potential. That is what makes it so important.

The next generation of powerTouch: **powerTouch2**

Faster, clearer, easier to use: enjoy the benefits of our further improved powerTouch user interface. We have optimized our standardized operating concept and further adapted it to our customers' needs. You can now control your HOMAG machines more quickly and more intuitively. The new, modern design is clearly structured. The innovative touch operation is designed to enable you to get the desired result easily and comfortably.



Our successful powerTouch philosophy – **simple, standardized, ergonomic, evolutionary** – systematically enhanced



Clearer structure

The structure of the powerTouch2 screen is even clearer. You only see the information that is relevant for you. The important points at a glance – but you still have all the details. All in a fresh, attractive design.



Even faster

With the new powerTouch generation, you can enter information at your machine even more quickly. Compared to the previous version, you can achieve a time saving of up to 30%. This is possible thanks to new features, such as automatic word completion and a pop-up keyboard that can be kept open, and Windows-like functions, such as the option of selecting common actions directly via the Start button.



More comfortable

We have also improved the traffic light dialog and the "Start" menu. When you press and hold the program icon, not only are the possible actions displayed, you can also access and activate them directly. Operation is therefore immediate and you do not lose any time opening applications. What's more, illustrations and additional information can also be displayed for the applications, instead of simple program icons. This also provides more transparency and avoids unnecessary navigation into applications.




More intuitive

Operating the machine is child's play. Many of the functions are similar to those of a smartphone or tablet and will therefore be familiar to you. Even beginners will feel immediately at ease and will soon be able to control the machine comfortably.

Optional feature: innovative operator guidance with IntelliGuide Classic

The innovative operator assistance system IntelliGuide is now available for the SAWTEQ B-200. The Classic version features an LED strip at the cutting line which guides the operator by means of light signals.



IntelliGuide Classic at a glance

- Colored LED signals at the cutting line allow intuitive operation and a quicker, safer way of working
- Using the colored LED elements, machine operators can immediately see if a part has been fully processed, needs to be cut again or can be disposed of as waste
- On the basis of the LEDs that light up, the operator can determine whether the workpiece on the table meets the required specifications

Would you like more information? Find out more in the "IntelliGuide" brochure.

Benefits of the IntelliGuide Classic

- Fast and simple processes: operator and saw work in tandem and do not slow each other down
- Intuitive machine operation with colored LED signals: the operator hardly needs to look at the monitor, allowing the operator to concentrate on working on the cutting pattern
- Smooth, ergonomic and safe processes for efficient working
- Easy to change operator at any time



CADmatic 5 Classic destacking module

Which part goes where? The integrated destacking display of the Classic destacking module provides the answer to this question. The individual parts are color-coded both in the cutting pattern and in the assistance graphic. This means that the machine operator can clearly see which of the parts already produced have been allocated to which destacking stations.

Optional features: increasing productivity with the appropriate cutting optimization software

Production time, material yield, parts handling and logistical process: efficient panel cutting with seamless processes requires intelligently optimized cutting patterns. For HOMAG saws, you can get the appropriate optimization solution on demand – from large to small, as permanently installed software or directly from the tapio cloud. You have the choice because the SAWTEQ B-200 is, like all HOMAG saws, tapio-ready.



intelliDivide – the easy way to first-class optimization results

Simply upload the parts list. Done! The result? A choice of several alternatives for cutting patterns and entire runs. That's how easy intelliDivide makes it.

In detail: the cloud-based optimization software intelliDivide utilizes significantly higher computing capacities than are available for locally installed optimization software and can therefore swiftly provide the user with several alternative optimization results.

This means that with intelliDivide the operator can choose from a variety of options, including results based purely on reducing waste, on the shortest machine time or on the simplest handling, perfectly adapted to the relevant requirements.

Applications are varied and are geared toward both the trade and industry.



Cut Rite cutting optimization software

Efficiency through planning: this short phrase sums up the key benefits of the Cut Rite software. With this world-leading software solution, you can optimize waste and systematically lower the overall costs for cutting.

Highlights

- Seamless, precise and highly efficient processes ensure optimized project control
- Efficient cutting processes which can be individually adapted to your production processes by means of parameter settings

- Full cost control within the cutting process: material costs and processing time are calculated automatically when the quotation is prepared
- Faster calculations by using all the processors in the PC
- Simple handling: clearly structured, easy to operate and graphics display the information

Find out more in the "Cut Rite" brochure.

SAWTEQ B-200

With the SAWTEQ B-200, you are opting right from the start for a saw that is a byword for precision and flexibility in cutting processes. Ideal for the trade and always ready for more.




The highlights

- 65 mm saw blade projection and a choice of even 80 mm or 95 mm
- HOMAG CADmatic5 control software
- New: Power Concept Classic for even more performance and throughput



SAWTEQ B-200 with lifting table

The SAWTEQ B-200 can be equipped with an integrated lifting table for program-controlled feeding from the rear. This is significantly more ergonomic, faster and more efficient than feeding solely manually from the front.




The highlights

- 65 mm saw blade projection and a choice of even 80 mm or 95 mm
- HOMAG CADmatic 5 control software
- Power Concept Advanced for even more performance and throughput



ecoPlus – because efficiency starts with the use of resources

Energy, time, material and personnel are all precious resources. Conserving them increases productivity and saves costs. The ecoPlus technologies from HOMAG help you to achieve this aim, providing countless innovations that save energy and reduce your operating costs. What's more, ecoPlus reduces CO₂ emissions and protects the environment. A worthwhile investment twice over.



ecoPlus technologies for maximum energy savings

- The standby button, a standard feature, puts the saw in an energy-saving standby mode at the touch of a button
- SAWTEQ B-200 with IE3 motors
- Variable speed control by means of a modern bypass circuit for all models with frequency-controlled main saw motor
- The geometry of the saw carriage enables highly efficient dust extraction
- All models are equipped with an energy monitor to monitor consumption
- Less energy required thanks to optimized dust extraction
- Thin-kerf saw blades can be used on request, ensuring less waste among other benefits
- Many innovations for improved ergonomics and smooth production processes

Standard features

Mechanical engineering of outstanding quality and state-of-the-art technologies are standard for the SAWTEQ B-200. This is admittedly an exceptionally high standard in this performance class, but then, after all, it is not without good reason that you choose a HOMAG saw.

The standard version is more than the sum of its parts

Whether it's the patented side pressure device or the rugged HOMAG clamps, the standard version of the SAWTEQ B-200 offers impressive leading-edge technologies for your production process.



Program fence for precision and dimensional accuracy

The compact, electronically controlled program fence with clamps and precision guides has an electro-magnetic measuring system that guarantees positioning accuracy of +/- 0.1 mm per meter – at travel speeds of up to 80 m/min. Even minimal trims and dust cuts are possible. The measuring system is entirely wear- and maintenance-free.

Rugged pressure beam for first-class cut quality

The large-area pressure zone directly at the cutting line reduces vibrations to a minimum. The result is precise cuts, for books too.



Additional start/stop key

A very practical and ergonomic solution – in particular when cutting long strips or large panels that make access to the control panel difficult.



Clamps: perfection down to the last detail

The robust HOMAG clamps position the material carefully and precisely at the cutting line. The clamps in positions 2 and 4 are available as an option.



Manual pressure control

The SAWTEQ B-200 comes as standard fully prepared for cutting pressure-sensitive panels. You can adjust the pressure of the clamps and the pressure beam to suit your particular panel material by simply using the two manual controls conveniently located in the front operating area.



Saw carriage

The saw carriage is a robust steel construction with a main and a scoring saw as well as a central side pressure device.

- Infinitely variable saw feed speed
- High-precision, quiet and maintenance-free
- Saw carriage speed up to 120 m/min (optional)
- Equipped with IE3 motors
- Fast saw blade change thanks to Power-Loc



Power-Loc

This fast clamping system is very easy to use and speeds up blade changes on both main and scoring saw.

- Automatic adjustment of scoring saw blade

HOMAG patent: central side pressure device

- Integrated directly into the saw carriage. This reduces the cycle times by up to 25% in comparison with conventional systems
- The contact pressure is infinitely variable – ideal for thin panels, laminates or sensitive materials

MORE AT HOMAG.COM



Central side pressure device



Power-Loc

SAWTEQ B-200 with lifting table – equipped for higher throughput

HOMAG saws with lifting table go some way toward automating feeding and are therefore equipped with additional technical solutions even in the standard version.




Powerful feeding system

- Panels are fed via an electro-hydraulic four-column lifting table
- Automatic determination of book height
- Equipped as standard with longitudinal profiles and sensing device
- Maintenance-free and no lubrication required

Separate backing wall

The backing wall is not attached to the machine bed, ensuring precise cuts. This is because vibrations caused by the movement of stacks on the lifting table are not transferred to the machine bed.



Optional features

Special challenges call for special solutions. Nothing could be easier. Simply choose the appropriate optional features and configure your SAWTEQ B-200 to meet your specific production requirements. So you get precisely your solution.

Feeding solutions and storage solutions ranging from S to XXL

Manually transporting panel material from the shelf to the saw is time-consuming and often not ergonomic. This is just one of the reasons why automation solutions from HOMAG pay off within a short time. Furthermore, they save a lot of space and are available for almost every size of company. The spectrum of solutions ranges from the basic feeding system via the lifting table through to the large-scale storage control connection to the STORETEQ S-200 and S-500. In addition, all SAWTEQ B-200 saws are open for connection to virtually all storage systems, ensuring the very highest level of performance.



Made-to-measure feeding solutions – for saws without lifting table


Smoothly running cutting processes begin with individually customized feeding solutions.
The choice is yours!



Easy2Feed

Easy2Feed promises automatic feeding at a budget price. This optional feature saves time and space, is very ergonomic and can be retrofitted. The core element is a compact scissor lift table, which can be comfortably loaded by forklift truck.

- Panels upward of 9.5 mm thickness can be fed
- Maximum panel size:
For cutting length 3800 mm: 3100 x 2200 mm
For cutting length 4300 mm: 3660 x 2220 mm
- Stack height 460 mm (standard version)
- Lifting table in pit on request
- For material that can be push-fed
- Feed roller conveyor on the side available as an option



Gantry vacuum feeding system HBX 150 (for single saws without lifting table only)

Efficient, ergonomic, gentle on materials: the HBX 150 single-axis feed gantry from **barbaric** is an asset to every aspect of the production line – and it does not take up much space either. Using vacuum suction units, the gantry fetches the next plate required from the stacking position adjacent to or behind the saw, turns the material if needed, and then places it in the saw, all on a just-in-time basis. All fully automatically.

Would you like more information? Find out more in the “HBX 150” flyer

Your benefits at a glance:

- **Increased productivity**
Productivity and material throughput increase due to the automatic feeding
- **Ergonomic cutting**
Manual panel handling by employees is essentially eliminated
- **Gentle material handling**
Thanks to powerful vacuum feeding
- **Low space requirement**
Due to short transport routes for material and small footprint
- **Lower quality costs**
Less scratching and damage caused by manual panel handling

Standard features


- Basic structure for gantry version
- Traveling lifting device with suction traverse
- Rotating unit for up to 90° rotation
- Automatic weight determination
- 1 stacking position next to or behind the saw
- Manual length adjustment of the suction traverse

Optional feature

- Powered length adjustment of the suction traverse
- Stacking station enlarged to 4200 mm panel length
- Additional stacking position

STORETEQ S-200 or S-500 – the right horizontal storage system to meet your needs

Even with the widest possible range of products, high speeds, and full equipment. The STORETEQ S-200 allows you to optimize transport routes and quantifiably save material and time. The STORETEQ S-200 provides intelligent logistics with palpable efficiencies. The STORETEQ S-500, the all-rounder among the storage systems, is used to deliver even more flexibility for a variety of materials.



The **ST71 suction traverse** in X geometry is the ideal optional feature for the STORETEQ S-200. The self-learning cross rail generates the data required for panel handling independently and thus ensures dependable process reliability. The operator does not have to enter anything.

The STORETEQ S-200 optimizes the storage area and saves you valuable production space

- Intelligent standby — the machine only uses energy when it is actually moving
- Optimal material consumption right down to offcuts thanks to well-thought out material management
- Handling without any extra costs – coated panels from a thickness of 3 mm thanks to the ST 61 suction traverse, which is already included in the standard version
- High flexibility due to ideal use of the available area even in the smallest possible space
- Increase in productivity of up to 40% with the same level of personnel



STORETEQ S-500 - flexibility and variety of materials combined in one storage system

The sturdy construction of the STORETEQ S-500 allows for great flexibility for the design in the length and width.

- Span widths of up to 16 m and travel path lengths of up to 100 m and more
- Controlled, low-vibration movements even in the largest version



Great variety of materials

Whether it's handling plastic, plexiglass or laminate, coated or uncoated panels, the STORETEQ S-500 is also a true all-rounder when it comes to handling panels.

- Panel weights up to 350 kg and panel lengths up to 5600 mm
- Smooth transport of even textured surfaces
- High double scissor stability for precise panel handling
- Handling of plastic panels



Ten important reasons to opt for the woodStore warehouse control system

1. Open database systems enables seamless integration
2. Multi Terminal offers transparency and ergonomic operation
3. Smart Connected System: full integration of optimization, processing machine, and storage into one cutting system
4. intelliStore: flexible storage organization that automatically adjusts to production conditions
5. Complete offcuts management prevents the buildup of offcuts
6. Forklift operator management: enables material supply separate from cutting
7. Management of outside storage is integrated
8. Easy Edit production lists: easy to change orders and sequence
9. Various storage strategies enable easy adjustment to production scenarios
10. Optimization of the production sequence enables high performance

woodStore 8. Portable, networked, user-friendly.



Mobile operation
You can control various functions via mobile end devices within the machine's WiFi.



User management
Personnel-controlled warehouse operation with a functional range of up to 40 different user rights.



Smart Connected System
Complete integration of optimization, saw and storage into one cutting system with corresponding standardized interfaces.



Email notification
In the event of any malfunctions in the operation of the storage system, the system sends an email to the email account specified.



Database access analysis
Customer database is measured for performance and logged to identify digital bottlenecks.



Smart Separation Learning
Fully automatic panel separation that requires only two panel handling settings.



intelliStore
All storage movements are monitored permanently and automatically adjusted to the current production conditions.



Integrated image database
Easy selection and assignment of panel finishes for realistic representation of the panels available in the warehouse.



Scrap management
Automatic return of saw offcuts to storage with built-in panel measurement as part of the material intake process and management of manual offcut stocks with corresponding wizards for easy set-up.




woodStore Analyzer
In a period that can be selected individually, the main functions of the storage system are examined and analyzed according to the customer's requirements in order to determine whether the customer is using the storage system optimally.



Intelligent logistics are a key to success

HOMAG storage systems are intelligent all-rounders that meet all your needs. From the smallest warehouse “that would fit into a double garage” to the multi-story warehouse that would meet industrial requirements. Across all levels of production, the flow of material is optimized, stocks are managed in a transparent way and processing machines are used in an optimal way.




1 Warehouse and saw with 5 stacking positions
Users include those working in traditional joinery

2 Warehouse and saw with 14 stacking positions
Users include fitters

3 Warehouse with saw and CNC processing with more than 20 stacking positions
Users include those working in trade fair and shop construction, suppliers

module45 – giving your saw the scope to produce bevel cuts

With module45, you can now produce all cuts, including bevels, on one and the same saw. Work efficiently and flexibly without changing station, at infinitely variable angles ranging from 0 to 46 degrees.



The technology

- module45 consists of a stationary saw carriage with a tilting saw blade that can be adjusted infinitely variably to angles of 0 to 46 degrees
- When viewed from the front, the unit is integrated into the air cushion table on the far left
- The table plate can be opened, allowing easy access to the saw carriage for changing saw blades
- Other features include dedicated systems for contact pressure and dust extraction, plus a fold-down right-angled fence for maximum handling flexibility at the front of the saw

Incorporate bevels into cutting patterns

Now you can also incorporate bevel cuts into your cutting patterns: either using the Cut Rite optimization software when preparing work in the office, or when inputting the patterns directly in CADmatic. Parts to be processed with module45 are then cut (oversize) and the operator only needs to set the angle of the bevel on module45 and start the cut.

The benefits of module45

- Easy one-man operation
- Greater ergonomic and safety benefits than a circular saw
- Less waste and higher quality thanks to less transport damage as the material remains on the one machine
- Retrofit possible at any time on request

[MORE AT HOMAG.COM](https://www.homag.com)



module45

Power Concept Classic – for even more performance and material throughput

At the heart of this technology is a clamp that can be moved separately. Using this clamp, two strips with different cross cuts can be cut to length together.



Power Concept Classic for the SAWTEQ B-200 (without lifting table) delivers up to 30% more output

- An additional clamp operates independently on the program fence and moves in front of the program fence if necessary
- An algorithm adapted to the Power Concept Classic sorts the strips directly at the saw. This is based on existing optimization data for the shortest machining times
- Good to know: if you choose Power Concept Classic, you will automatically receive the first air cushion table in a wider version. In addition, the saw is equipped with another start-stop key on the second air cushion table.

Our recommendation: Power Concept in combination with IntelliGuide Classic

The innovative assistance system supports the machine operator with the help of LED light signals at the cutting line in the safe, simple and fast processing of the increased material throughput.



Power Concept Advanced for the SAWTEQ B-200 with lifting table delivers up to 40% more output

- An additional clamp that operates independently
- Clamps on the program fence that can be raised out of the overlapping work area as needed
- An algorithm adapted to the Power Concept Advanced sorts the strips directly at the saw. This is based on existing optimization data for the shortest machining times.

Features with Power Concept Advanced:

- Protective fence instead of protective guard
- For technical reasons, saw blade projection is automatically limited to 80 mm.

POWER CONCEPT



Lower costs per cut



Significantly improved material flow



High material throughput to easily handle peaks in production

Cuts what is put on the table

The SAWTEQ B-200 series has an appetite for almost anything. Intelligent optional features ensure it can tackle practically all the tasks and materials required in the cutting process.



Greater visibility while maintaining safety (for single saws without lifting table only)

While saws with lifting table come as standard with an all-round protective fence, saws without lifting table have a protective guard around the rear machine table. The sides of this protective guard are made up of individual elements which can be equipped with windows if desired – one is already included as standard. Further windows can be added as needed. This ensures greater visibility while maintaining safety levels.



Additional clamps

For a better grip. So that your saw can securely clamp even big, thin or smooth panels.

More power for the main saw

The SAWTEQ B-200 can be equipped with a more powerful main saw motor. You can increase the power from 7.5 kW to 9.2 kW, 11 kW or even 18 kW.

Gentle material handling



Additional rollers on the edge of the air cushion table ensure particularly gentle positioning of material and greater operator comfort.

Higher speed and throughput

- Saw carriage speed of up to 120 m/min instead of the standard 80 m/min
- Higher saw blade projection of 80 or even 95 mm instead of 60 mm

The perfect postforming cut

- Ensures perfect cuts on soft-formed and post-formed parts
- Maximum saw blade projection: 44 mm



MORE AT HOMAG.COM



Postforming



Air cushion tables

Movable air cushion table


The air cushion table is easily moved along linear guides and offers you a mobile work surface and storage area. It allows you to move small panels, large panels or books of panels more ergonomically and with less risk of damage.

Wider table elements (not shown)

Air cushion tables are optionally available in a width of 800 mm instead of 650 mm. Just one, two, three or all four – whatever is best for your production.

Extra tools for demanding materials and cuts

Exceptional materials require exceptional technical solutions. These are available in abundance for the SAWTEQ B-200 – for thin panels, for example.



Micro feed for thin panels (for saws with lifting table only)

The micro-feed option allows thin panels from 6 mm upward to be pushed onto the rear machine table (provided that their properties meet HOMAG specifications). Book height is measured by a non-contact, electromagnetic measuring system which is completely maintenance-free.

Extra impetus for feeding (for saws with lifting table only)

The automatically driven roller conveyor integrated into the lifting table and additional roller conveyors on the side ensure fast stack changeover.

MORE AT HOMAG.COM



Micro-feed



Cut-out and stress elimination cut

Stress in the material is released when it is cut and can affect the quality of dimensions and cuts. The stress elimination cut provides a solution here. Systematic preliminary cuts can be defined during optimization and release the tension in the material. The additional cut-out feature allows you to produce both cut-outs and intermittent grooves in panels, as required for kitchen sinks or doors, for example.



Grooving

This option saves you an entire work step in post-processing. This is because your saw will also groove the panel material. There's more: thanks to the motorized groove adjustment, the groove depth can easily be adjusted to individual requirements directly on the control panel.

MORE AT HOMAG.COM



Grooving



Manual trim stops

With these, your saw can also master material with overhanging laminates or veneers. The trim stops are integrated into the clamps and are simply flipped forward when required.

- Gentle handling of sensitive materials with overhanging covering layers
- Precise positioning

MORE AT HOMAG.COM



Trim stops



Cut-out function



Stress elimination cut



Pneumatically operated trim stops

The trim stops are attached to the clamps and are activated as needed by the CADmatic machine control unit.

- Gentle handling of sensitive materials with overhanging covering layers
- Precise positioning

dustEx: making dust a thing of the past!

The more dust and chips that can be taken away by the dust extraction system, the better. After all, dust and chips can cause scratches on sensitive surfaces.



MORE AT HOMAG.COM



Patented dustEx technology

dustEx guides dust and chips on a direct route toward the dust extraction system. How does it work? Using combination air jets and an optimized extraction geometry at the right-angled fence.

Reliable labeling and identification

To ensure that your processes also continue to flow smoothly after the saw, HOMAG offers you needs-based labeling solutions. For fast labeling and reliable identification at all downstream stations.



Label printer for superb results

The label printer from HOMAG allows you to print customized labels directly at the saw and design them to include bar codes, text and graphics if required. If you also use our Cut Rite optimization software, the material goes directly to the next process step with printed instructions. In this way, you can integrate the saw perfectly into your production flow.

MORE AT HOMAG.COM




TECHNICAL DATA*		
Model	SAWTEQ B-200	SAWTEQ B-200 with lifting table
Saw blade projection (mm)	65 (optional: 80 or 95)	65 (optional: 80 or 95)
Cutting length (mm)	3200/3800/4300	3200/3800/4300
Lifting table width (mm)		2200
Program fence speed (m/min)	up to 80 **	up to 80 **
Saw carriage speed (m/min)	up to 80 (optional: 120)	up to 80 (optional: 120)
Main saw motor (kW)	7.5 (optional: 9.2, 11 or 18)	7.5 (optional: 9.2, 11 or 18)
Scoring saw motor (kW)	1.1	1.1
Average total air requirement (NI/min)	150 (200 at 95 mm saw blade projection)	150 (200 at 95 mm saw blade projection)
Required compressed air supply (bar)	6	6
Dust extraction system (m ³ /h)	3300 (26 m/sec)	3300 (26 m/sec)
Working height (mm)	920	920
Air cushion tables (mm)	3/3/4 x 1800	3/3/4 x 1800
Monitor	24" TFT flatscreen display	24" TFT flatscreen display

* Values relate to the standard version

** Forwards 25 m/min

*** Dim. A: incl. 40 mm for extraction connection, dim. C: standard program fence width



MACHINE DIMENSIONS***			
SAWTEQ B-200	A (mm)	B (mm)	C (mm)
B-200/32/32	5307	6037	3587
B-200/38/32	5867	6037	4147
B-200/38/38	5867	6637	4147
B-200/43/32	6457	6037	4737
B-200/43/38	6457	6637	4737
B-200/43/43	6457	7187	4737

MACHINE DIMENSIONS***			
SAWTEQ B-200 with lifting table	A (mm)	B (mm)	C (mm)
B-200/32/22	5307	10,419	3636
B-200/38/22	5867	10,419	4196
B-200/43/22	6457	10,419	4786

HC LIFE CYCLE SERVICES

Optimal service and individual consultations are included in the purchase of our machines. We support you with service innovations and products which are especially tailored to your requirements. With short response times and fast

customer solutions we guarantee consistently high availability and economic production – over the entire life cycle of your machine.



REMOTE SERVICE

- Hotline support via remote diagnosis by our trained experts regarding control, mechanics and process technology. Thus, more than 92% less on-site service required and consequently a faster solution for you!
- The ServiceBoard App helps to solve tasks in a fast, simple and concrete way. This is achieved by mobile live video diagnosis, automatic sending of service requests or the online spare parts catalog eParts.



SPARE PARTS SERVICE

- High spare parts availability and fast delivery.
- Ensuring quality by predefined spare parts and wear parts kits, comprising original spare parts.
- Identify and inquire for spare parts online under www.eParts.de 24/7, or buy even faster and more comfortably in the new HOMAG eShop (shop.homag.com).



MODERNIZATION

- Keep your machinery up to date and increase your productivity as well as your product quality. This is how you can meet tomorrow's requirements today!
- We support you with upgrades, modernization as well as individual consultancy and developments.



DIGITAL SERVICES

- serviceRemote – the new remote service solution of the future! Fast restart of production because the remote service employee has extensive access to relevant physical data.
- serviceAssist – provides help for self-help. The preventive solutions proposed in the new App are the combination of our experiences and existing machine data.



SOFTWARE

- Telephone support and consultancy through software support.
- Digitalization of your spare parts via 3D scanning saves time and money compared to new programming.
- Subsequent networking of your machinery with intelligent software solutions ranging from construction to production.



FIELD SERVICE

- Increased machine availability and product quality by certified service staff.
- Regular checks through maintenance/inspection guarantee the highest quality of your products.
- We offer you the highest availability of technicians in order to reduce downtimes in case of unpredictable troubles.



TRAINING

- Thanks to training perfectly suited to your requirements, your machine operators can optimally operate and maintain the HOMAG machines.
- The training also includes customer-specific training documents with exercises proven in practice.
- Online training and webinars. Learn without traveling, meet your trainer in the digital classroom.

For you more than...

1,350
service employees worldwide

92%
less on-site service thanks to successful remote diagnosis

5,000
customers in trainings / year

150,000
machines, all electronically documented in 28 different languages – in eParts

HOMAG Group AG

info@homag.com
www.homag.com



YOUR SOLUTION