



KUPER HFS

System Josting

Single knife veneer guillotine

KUPER

KUPER HFS System Josting

Efficient veneer cutting with the well-known KUPER quality.



Operating principle

The new fully hydraulic veneer guillotine made by Josting offers the proven quality made in Germany at a favorable price. Veneer packages up to 50 mm are cut neatly and ready for jointing. 2 hydraulic cylinders provide the required pressing power for the pressure beam. 1 hydraulic cylinder moves the knife through the veneer package with a strong and drawing motion. Two-hand control and a light barrier ensure work safety. The LED guide light precisely shows the cutting line. A digital display indicates the measure between the knife and the parallel fence.



Technical data

Insertion height	50 mm
Area of parallel fence	25 – 500 mm with millimetre counter
Adjustment of parallel fence	Motor-driven quick adjustment and hand wheel for fine adjustment
Pressure beam	2 hydraulic cylinders
Knife bar with drawing motion	1 hydraulic cylinder
Cutting display	LED guide light
Operating voltage	400 V, 3 Ph, 50 Hz 50 cycles or special voltage

Cutting length

HFS 2800	2800 mm
HFS 3200	3200 mm



KUPER HFS System Josting

3 machines from KUPER for perfect veneer joining



KUPER QFS 850 veneer cross-cutting guillotine

- Perfect for quick and economic cutting to length of veneer bundles
- Narrow construction
- Quick and powerful operation of the knife



KUPER HFS single knife veneer guillotine

- Process-reliable hydraulic drives
- Motor-driven quick adjustment of the parallel fence
- Simple and clean cutting using two-hand control



KUPER FLI 1000 – first-class veneer joints

- Precise veneer transport due to high-efficiency plastic chains
- Intelligent energy management for higher efficiency and improved standby mode
- Insensitive control panel with parameter storage function for fast start-up
- Option packets for joining of micro and thick veneers

KUPER

Heinrich KUPER GmbH & Co. KG
Heinrich-Kuper-Straße 10 – 15
33397 Rietberg
Germany

Phone +49 (0) 52 44/9 84-0
Fax +49 (0) 52 44/9 84-201
E-Mail info@KUPER.de
Internet www.KUPER.de

Additional technical data upon request. Illustrations may contain options. Additional components such as control cabinets, safety facilities e.g. may are not be shown.