





MESSA




Foratrice semiautomatica
a 21-27 o 35 mandrini. 

Semiautomatic boring machine
with 21-27 or 35 spindles. 

Halbautomatische Bohrmaschine
mit 21-27 oder 35 Spindeln. 

Perceuse semi-automatique
à 21-27 ou 35 mandrins. 



Taladro semiautomático
con 21-27-35 mandriles. 

Furadora semi-automática
a 21-27 ou 35 mandris. 



M21 - M27 - M35



Optional spring loaded index pins for precise locating of additional holes



Quick drill depth adjustment



Decimal read out

Micrometric adjustment handle



M21

M27

M35



Position at 45°



I Mandrini
 UK Spindel
 D Spindel
 F Mandrins
 E Mandrins
 P Mandris

Interasse
 Centridistance
 Mittenabstand
 Entre-axe
 Intereje
 Distancia entre mandris

Interasse totale
 Total centerdistance
 Gesamter Mittenabstand
 Entre-axe total
 Distancia total
 Distancia total

Profondita max di foratura
 Maximum depth of hole
 Max Bohrtiefe
 Profondeur max de perçage
 Profundidad max de perforación
 Profundida de max de furacao

Dimensione tavolo
 Board dimensions
 Abmessungen der Tische
 Dimension table
 Medidas mesa de trabajo
 Dimensio banco

Dimensione max del pezzo
 Maximum dimension of pieces
 Maximal Abmessung der Teile
 Dimension max de la pièce
 Medidas max de la pieza
 Dimensio max da peça

Giri mandrino
 Spindle rotations
 Spindelumdrehungen
 Tours du mandrin
 Revoluciones de mandril
 Giros mandril

Potenza motore
 Engine capacity
 Motorleistung
 Puissance moteur
 Potencia motor
 Potencia motor

Pressione di esercizio
 Pressure
 Betriebsdruck
 Pression d'exercice
 Presion de ejercicio
 Pressão de exercicio

M21 21
 M27 27
 M35 35

32mm.
 32mm.
 32mm.

640
 832
 1088

70
 70
 70






950x440
 1150x440
 1400x440

800x3000
 992x3000
 1308x3000


2800
 2800
 2800

H6 2.5
 H6 2.5
 H6 2.5+2.5

atm 6-8
 atm 6-8
 atm 6-8



www.hoechsmann.com



M21 1250
 M27 1250
 M35 1250

M21 350 Kg
 M27 450 Kg
 M35 550 Kg

M21 630
 M27 630
 M35 630

M21 950
 M27 1150
 M35 1400



MESA di Terenzi Gianfranco
 COSTRUZIONI MECCANICHE
 Strada Borrana, 35 - 47899 Serravalle (Rep. San Marino)

Tel. (+378) 0549 900302
 Fax (+378) 0549 901491
 e-mail: me.sa@omniway.sm
 website: www.mesa.sm