

# Machines

## 1. Machines

### 1.1. Semi-automatic stretch wrapping machine

#### OP 121 COMPETITION SX

Wrapper OP 121 is an entry model to the group of stretch-wrappers, designed to replace hand wrapping.



#### Characteristics

- Peak Production Speed up to 25 pallets / h
- Maximum load size 1200 x 1000 mm
- Maximum load height 2450 mm
- Maximum load weight 2000 kg
- Fork lift movable
- Possibility of adapting the machine if desired
- Operational 24 hours / day
- Warranty: 2 years unlimited cycles

#### Benefits

- Quality and safety (CE – certified)
- Simple and safe to use
- Wrapping costs per pallet are very low
- Low maintenance costs

## OP 133 SX VISTA

Versatile wrapper OP 133 has an extensive number of features and accessories.



### Characteristics

- Peak Production Speed up to 35 pallets / h
- Maximum load size 1200 x 1000 mm
- Maximum load height 2450 mm
- Maximum load weight 2000 kg
- Fork lift movable
- Possibility of adapting the machine if desired
- Operational 24 hours / day
- Warranty: 2 years unlimited cycles
- Touch screen
- Regulation of rotation speed
- Additional equipment and flexibility to your needs and preferences

### Benefits

- Quality and safety (CE – certified)
- Simpler and safe to use
- Wrapping costs per pallet are very low
- Low maintenance costs
- 10 additional programs
- More wrapping adjustments
- Greater user flexibility
- Increased capacity


### Accessories

- Top press
- Scale
- Loading ramp
- Stainless steel
- Resistant to cold
- Inbuilt frame

# Machines

## OP 133 AW

Stretch wrapper OP 133 SX- AW is designed with a special automatic system for film gripping and cutting very near to the pallet.



### Characteristics

- Capacity up to 35 pallets / h
- Maximum load size 1200 x 1000 mm
- Maximum load height 2450 mm
- Maximum load weight 2000 kg
- Fork lift movable
- Possibility of adapting the machine if desired
- Intended for operation 24 hours / day
- Warranty: 2 years unlimited cycles
- 10 additional programs
- Touch Screen
- Regulation of rotation speed
- Additional equipment and flexibility to your needs and preferences

### Benefits

- Quality and safety (CE – certified)
- Simply for use
- Remote control of the machine
- Wrapping costs per pallet are very low
- Low maintenance costs

### Options

- Remote control
- Top press
- Scale
- Loading ramp
- Stainless steel
- Resistant to cold
- Inbuilt frame

## OP 161 TWIST X

Stretch wrapper with rotating arm OP 161TWIST X is designed especially for loads that are lightweight, tall and unstable or too heavy to rotate using a turntable system. The stretch wrapper with rotating arm is the ideal solution for environments with liquid spillage, corrosive products and where equipment wash down is performed.



### Characteristics

- Capacity up to 35 pallets / hour
- Maximum load size 1200 x 1000 mm
- Maximum load height 2400 mm
- Maximum load weight not limited
- Soft start and stop
- Siemens S7 PLC
- 10 additional programs

### Options

- Top press
- Resistant to cold
- Stainless steel

### Benefits

- Easy operation via Touch screen
- Faster exchange of pallets
- Without the centrifugal force on the load
- Suitable for unstable load
- No load weight limit

## OP 161 AW

Stretch wrapper OP 161 AW is designed with a special automatic system for film gripping and cutting very near to the pallet.



### Characteristics

- Capacity up to 35 pallets / hour
- Maximum load size 1200 x 1000 mm
- Maximum load height 2400 mm
- Maximum load weight not limited
- Soft start and stop
- Siemens S7 PLC
- 10 additional programs

### Options

- Top press
- Resistant to cold
- Stainless steel
- Remote control

## OP 161 DUAL X

Stretch wrapper OP 161 DUAL X is designed to wrap pallets in two places, the carrying hand is 90° mobile.



### Characteristics

- Capacity up to 45 pallets / hour
- 90°mobile carrying hand for wrapping on two places
- Maximum load size 1200 x 1000 mm
- Maximum load height 2400 mm
- Maximum load weight not limited
- Soft start and stop
- Siemens S7 PLC
- 10 additional programs

### Benefits

- Easy operation via touch screen
- Faster exchange of pallets
- Changing the pallets with a forklift - without conveyors
- Without the centrifugal force on the load
- Suitable for unstable load
- No load weight limit

# Machines

## OP 133 SW




### Characteristics:

- substantial reduction of packaging costs
- great film and energy savings
- simple operator controls
- built in top components of world-renowned manufacturers
- long period of exploitation (rigid construction)
- Adjustable shrink time at the bottom and top of pallet
- Modular system
- Rigid construction for industrial use
- Use of reliable burner
- Intense shrinking even at irregular loads on pallet
- Optional:
  - Remote control
  - Roller or chain conveyor
  - Loading ramp
  - Inbuilt frame

## 1.2. Automatic pallet wrapping machines

### AOP 151 COMPACT

Automatic pallet wrapper AOP 151 is developed for demanding costumers and capacity up to 50 loads per hour and equipped with automatic system for film capturing and cutting.



### Characteristics:

- Capacity up to 50 pallets / h
- Integrated pallet conveyor
- Operational 24 hours / day
- Warranty: 2 years unlimited cycles
- Optional:
  - Pallet covering
  - Chain conveyor
  - Top press

### Benefits

- Easy integration
- Compact solution
- Fast installation