


BHX 200 25-Spindle Configuration

Additional
configuration





2014/2015

Equipment Version 25 Spindles

This equipment version provides a new level of flexibility. Apart from the new 25-spindle drill head (15 vertical and 10 horizontal), the swiveling grooving saw, the 9-kW routing motor and the 4-fold tool changer, the configuration offers the user to choose from the following additions:

Either a disc router for implementing applications for Clamex-P connectors, or a drill head for fittings (3 spindles).





Spindles

25

25-Spindle Configuration:

- 1 routing motor with 9 kW
- 25 individually activated drilling spindles (15 vertical / 10 horizontal spindles)
- 1 swiveling grooving saw \varnothing 125 mm
- 4-fold tool changer

Optional:

- 1 disc router 0-90° (d=100.4 Clamex)
- or
- additional 3-spindle unit (e. g. hinge processing)





Choose the Original Choose Success!

For the Success of Original Technology
A campaign of the VDMA

Subject to technical modifications, misprints and errors.
Photos may show non-standard features

BHX 200 Configuration 09/2014 EN



You may contact us - WORLDWIDE

- Teleservice possibility via basic internet connection (TSN possibility)
- Competent spare parts service
- WEEKE Communication:
Up-to-date information at all times:
www.weeke.com
- Any questions, new ideas,
criticism & praise to:
info@weeke.de

Member of the HOMAG Group



WEEKE Bohrsysteme GmbH

Benzstrasse 10-16
33442 Herzebrock-Clarholz
GERMANY

Tel.: +49 5245 445-0
Fax: +49 5245 445-44 139
info@weeke.de
www.weeke.com