MACHINEBOUW

Pioneer in the parquet industry

- cross cutting
- cutting out defects
- end matching


High capacity



POUERNAX

PATENT GRANTED





Lengths 500 - 6000 mm

Widths 50 - 300 mm

Thicknesses 8 - 30 mm

Capacity up to 24 pc/min

Random lengths, Fixlengths, Optimizing at 10cm-lengths

Technical Specifications

Weight 3000 kg
Power 40 kW
Pressure 6 bar
Dim. LxHxW 2240x2000x1520 mm
Cutter diameter 125 mm
Sawblade diameter 450 mm
Dust connection diameter 200 mm

- The latest development in wooden floor machinery.
- High capacity because of advanced servo technique.
- Machine for end-matching and cross-cutting variable lengths and fixlengths.
- Exceptional in the branche because of its unique combination of production methods.





Board before operation (defects marked)



Board after operation















Directions to Marinus Machinebouw B.V.:

Via A7 Heerenveen - Groningen

- Take exit 31 Frieschepalen
- In Frieschepalen, turn left towards Bakkeveen
- In Bakkeveen, cross the canal
- After appr. 700 meters on your left-hand side

Via N381 Drachten - Oosterwolde

- Take exit Wijnjewoude/Bakkeveen
- In Bakkeveen, turn left, crossing the canal
- After appr. 700 meters on your left-hand side

MACHINEBOUW

Marinus Machinebouw B.V.

Mandewyk 1b 9243 JW Bakkeveen The Netherlands

Tel: +31 (0)516- 54 13 39 Fax: +31 (0)516- 54 20 60 Email: info@marinus.biz

www.marinus.biz

