




*... softly floats over the waves, like a swan ...*

**... sanding with WEBER**



**Easy to use  
touch Screen ...**



**... WEBER 1000 ...**



**... WEBER 2000 ...**



**... WEBER KS**


**The perfect sanding  
system ...**



**... only better ...**



**... surface and  
edges ...**



**... only available from  
WEBER**



## WEBER 1000



**Calibration  
Surface sanding**

## WEBER 2000



**Calibration  
Surface sanding  
Cross belt polishing**

## WEBER K/KS 2000




**Calibration  
Surface sanding  
Cross belt polishing  
Working width max. 1600 mm**

## WEBER KS



**Calibration  
Surface sanding  
Cross belt polishing  
Working width max. 2200 mm**

Sanding belt length	2150 mm	2150 mm	2620 mm	2620 mm / 3200 mm
Segmented platen system	WEBER ISA	WEBER ISA / ISD	WEBER ISA / ISD	WEBER ISA / ISD
Passline	variable	constant	constant	constant
Sanding heads max.	2	4	3	6
Top and Bottom lines	no	yes	yes	yes



Hans Weber  
Maschinenfabrik GmbH  
Bamberger Str. 19 – 21  
D-96317 Kronach  
Tel. +49 (0) 92 61 409-0  
Fax +49 (0) 92 61 409-199  
email: [info@hansweber.de](mailto:info@hansweber.de)  
[www.hansweber.de](http://www.hansweber.de)